



LIBERTY TABLE RUNNER

18" X 42"




ABOUT THIS RUNNER

- Please read through all the directions before starting.
- This design is not suitable for directional fabrics, since units are turned in different directions.
- I used three different blue fabrics in my runner because I was away from home when the idea came to me. I only had scraps with me so I had to make do.
- Be sure to check my website for pattern corrections.
- The stars in this little runner are made from squares and connector corners. Once you have the star points constructed, the rest is simply pieced in rows. All of the connector corners are made the same way. The only difference is the size of the rectangles.
- Contact me at hello@patchworksampler.com if you notice any needed changes or corrections.

FABRIC REQUIREMENTS

- Fabric 1 (blue): ½ yard
- Fabric 2 (white): ½ yard
- Fabric 3 (red): ½ yard
- Binding: ¼ yard
- Backing and batting: 23" x 48"

CUTTING INSTRUCTIONS



MAKE SURE TO LABEL ALL PIECES!

Fabric 1 (Blue): Cut six 2" strips. Sub-cut :

1 strip into (2) 2" x 18½" rectangles (A)

2 strips into (8) 2" x 6½" rectangles (B)

2 strips into (8) 2" x 9½" rectangles (C)

1 strip into (12) 2" x 3½" rectangles (D)

Cut one 3½" strip. Sub-cut into (2) 3½" x 12½" rectangles (E) and (1) 3½" x 9½" rectangles (F)

Fabric 2 (White): Cut three 2" strips. Sub-cut:

2 strips into (4) 2" x 12½" rectangles (G)

1 strip into (2) 2" x 9½" rectangles (H) and (4) 2" x 3½" rectangles (I)

Cut two 3½" strips. Sub-cut into (4) 3½" x 6½" rectangles (J) and (4) 3½" x 9½" rectangles (K)

Fabric 3 (Red): cut one 3½" strip. Sub-cut into (8) 3½" squares (L)

Cut three 2" strips. Sub-cut into (64) 2" squares (M)

Binding: Cut three 2 ½" strips.

CONNECTOR CORNER INSTRUCTIONS

Use these instructions to make all connector corner units as indicated on Page 3. They are all constructed the same, only the size of the base rectangle varies.

1. Draw a diagonal line on the back of each red 2" square. (Fig. 1). Place a square RST on the corner of a rectangle. (Fig. 2).
2. Sew on the drawn line (Fig. 2). Trim corner ¼" from the sewing line (Fig. 3). Press toward the corner triangle (Fig. 4).
3. Place another red square on the opposite corner as shown. Again, sew on the drawn line (Fig. 6). Trim corner ¼" from the sewing line (Fig. 7). Press toward the corner triangle.




Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5



Fig. 6






Fig. 7




Make 12



Make 4



Make 4



Make 4



Make 2




Make 1

4. Once all connector corner units are complete, piece the rows as shown below.



Row 1: Make 4



Row 2: Make 2




Row 3: Make 2




Row 4: Make 1

5. Sew rows together as shown below. Be sure to rotate rows as shown (R) so star points are going the correct direction.



6. Once rows are together, sew the A rectangles to each end.



7. Now your table runner is ready to quilt, bind, and enjoy all summer!

